



- NOTES**
1. This drawing is copyright ©
 2. Do not scale off this drawing
 3. All levels and dimensions to be checked on site before any building work commences
 4. Any discrepancies to be reported to the office of the consultant
 5. All work to be strictly in accordance to with the standard specifications and notes
 6. This drawing is to be read in conjunction with specifications and all other relevant drawings
 7. Walls below 200mm thick to be reinforced with hoop iron at every alternate course
 8. Depth of foundations to be decided on site
 9. pv denotes permanent air vents over doors and windows as shown on drawings
 10. A single layer of 3-ply bituminous felt to be provided between masonry and r.c. work
 11. Drain pipes passing under tarmac, driveways, and buildings to be encased in 150mm thick concrete surround
 12. All reinforced concrete work to Structural Engineer's drawings
 13. All sanitary works to the entire satisfaction of MoH
 14. All roads, storm water drainage and foul sewerage to Civil Engineer's drawings

rev.	date	description
revisions:		

client:
**TOURISM PROMOTION SERVICES(KENYA)
 NAIROBI SERENA HOTEL**

project title:
**NAIROBI SERENA HOTEL EXISTING
 BEDROOMS RECONFIGURATION &
 UPPER CAR PARK**

SYMBION

Office: +254-0202610691,2455071,2688045/9
 Office: +254733801386/+254722808000
 E-mail: symbionkenya@symbion-int.com
 WEBSITE: www.symbion-int.com

drawing title:
**Production Drawings
 General Arrangement Drawings
 Ballroom Plan-Ground Floor.**

drawn:
 E.M

checked:
 P.O

date:
 1/30/2020

scale on A3:
 1:150

job no.
SK/06/2086

drawing no.
 L[4]-J04H

revision

L[4]-J04H

Ball Room-Ground Floor

1:150